

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print near3 job\$1 and network\$1 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:12
S2	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print near3 job\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:13
S3	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print near3 job\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:39
S4	4	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print near3 job\$1 and network\$1 and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:17
S5	9	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial same print\$3 near3 job\$1 and network\$1 and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:17
S6	22	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (free or trial) with print\$3 near3 job\$1 and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3) with print near3 job\$1 and network\$1 and queue\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:27

EAST Search History

S7	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print near3 job\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3 and free)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:40
S8	28	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3 and free)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:40
S9	26	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3) and mark\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:43
S10	21	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3) and (mark or marks or markings)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:44
S11	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3) and (mark or marks or markings) same proof\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:44
S12	14	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3) and (mark or marks or markings) and proof\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:45

EAST Search History

S13	4	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial near3 print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:47
S14	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial near3 print\$3 same operation\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:48
S15	4	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 same operation\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:49
S16	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial adj print\$3 same operation\$1 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:49
S17	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial adj print\$3 and network\$1 and queue and (paid or payment\$1 or billing or charg\$3 or fee or fees or cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:49
S18	5	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial adj print\$3 and network\$1 and queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:51

EAST Search History

S19	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial adj print\$3 and network\$1 and queue and (bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:54
S20	28	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial with print\$3 and network\$1 and queue and (bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 00:57
S21	21	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and trial and image with generat\$3 same network and queue and (bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:02
S22	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) with print\$3 same operation and network and queue and (bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:03
S23	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) with print\$3 same operation and network and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:03
S24	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) same print\$3 same operation and network and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:04

EAST Search History

S25	1	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) same print\$3 and network and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:05
S26	479	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial or paid) same print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:05
S27	3	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) same print\$3 and (internet or network\$3) and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:12
S28	4	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and (trial and paid) same print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:15
S29	454	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with operat\$4 and trial and print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:16
S30	22	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with operat\$4 and trial with print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:21

EAST Search History

S31	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with operat\$4 and trial with operation with job same print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:22
S32	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with operat\$4 and trial near7 operation same job same print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:22
S33	0	(@ad<"20030513" or @pd<"20030513" or @riad<"20030513" or @prad<"20030513") and output with trial near7 operation same job same print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:22
S34	8	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with trial near7 print\$3 and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:23
S35	272	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:24
S36	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with trial and queue same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:25

EAST Search History

S37	1	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with trial and queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:28
S38	78	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (free or trial) with queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:28
S39	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 same queue with (free or trial) with queue and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:29
S40	78	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (free or trial) and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:34
S41	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (free or trial) and priority with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:35
S42	6	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:38

EAST Search History

S43	1	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs and free	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:50
S44	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs and free and marking\$3 and trial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:51
S45	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs and free and trial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:51
S46	1	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same jobs and (free or trial or try adj it)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:54
S47	55	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) and (free or trial or try adj it)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:56
S48	1	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same (free or trial or try adj it)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 01:55

EAST Search History

S49	47	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue with (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) and (free or trial or try adj it) and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:01
S50	99	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output with imag\$3 and queue same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) and (free or trial or try adj it) and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:02
S51	22	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output\$4 with imag\$3 and queue near5 (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) and (free or trial or try adj it) and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:03
S52	3	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output\$4 with imag\$3 and queue same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) with printing and (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:06
S53	0	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and output\$4 with imag\$3 same (wait\$3 or queue) same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) with printing and (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:07

EAST Search History

S54	42	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 same (wait\$3 or queue) same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) with printing and (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:08
S55	8	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 same (wait\$3 or queue) same (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) with printing same (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:27
S56	310	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 same job\$1 and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:27
S57	253	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 near3 job\$1 and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same (free or trial or try adj it) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:28
S58	637	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 near3 job\$1 and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same (free or trial or try adj it)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:28
S59	44	(@ad<"20030513" or @pd<"20030513" or @rlad<"20030513" or @prad<"20030513") and print\$3 near3 job\$1 and (paid or bill\$3 or payment\$1 or fee or fees or cost\$3 or pric\$3 or charg\$3) same (free or trial or try adj it) adj print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 02:29